

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Reference number: 206358 Issue date: 18/07/2022 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Name Trade name

- MixtureClopyralid 200 gL SLVivendi 200

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Industrial/Professional use spec Use of the substance/mixture : Professional use: Plant protection products

: Herbicide

1.2.2. Uses advised against

Restrictions on use

: No known evidence against using

1.3. Details of the supplier of the safety data sheet

UPL Europe Ltd Engine Rooms (1st Floor) Birchwood Park Warrington – WA3 6YN United Kingdom T +44 1925 819999 - F +44 (0) 1925 817425 <u>EUR-SDS.info@upl-ltd.com</u>

1.4. Emergency telephone number

Emergency number

: Rest of the world (English): +44 1865 407333 Europe (English): +44(0)1235 239670 112 (European Emergency Number)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX Llandough	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA Edinburgh	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB Newcastle	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	Only for healthcare professionals

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 2: Hazards identification	
2.1. Classification of the substance or m	ixture
Classification according to Regulation (EC) N	o. 1272/2008 [CLP]
Hazardous to the aquatic environment – Chronic Full text of H- and EUH-statements: see section	
Adverse physicochemical, human health and	environmental effects
No additional information available	
2.2. Label elements	
Labelling according to Regulation (EC) No. 12	272/2008 [CLP]
Hazard pictograms (CLP)	: GHS09
Signal word (CLP)	: Warning
Hazard statements (CLP) Precautionary statements (CLP)	 : H410 - Very toxic to aquatic life with long lasting effects. : P102 - Keep out of reach of children.
EUH-statements	 P102 • Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 - Avoid release to the environment. P391 - Collect spillage. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH208 - Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction. EUH401 - To avoid risks to human health and the environment, comply with the instructions for use.
2.3. Other hazards	

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
clopyralid (ISO) substance with a Community workplace exposure limit	CAS-No.: 1702-17-6 EC-No.: 216-935-4 EC Index-No.: 607-231-00-1	18.25	Eye Dam. 1, H318 Aquatic Chronic 1, H410 (M=10) EUH401
2-aminoethanol; ethanolamine substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455- 28	5.93	Acute Tox. 4 (Oral), H302 (ATE=1720 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1025 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Corr. 1B, H314 STOT SE 3, H335 Aquatic Chronic 3, H412

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3- one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540- 60	< 0.05	Acute Tox. 4 (Oral), H302 (ATE=670 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1)
Sodium hydroxide substance with national workplace exposure limit(s) (GB)	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	< 0.05	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
2-aminoethanol; ethanolamine	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455- 28	(5 ≤C ≤ 100) STOT SE 3, H335
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3- one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540- 60	(0.05 ≤C ≤ 100) Skin Sens. 1, H317
Sodium hydroxide	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	(0.5 ≤C < 2) Eye Irrit. 2, H319 (0.5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If symptoms persist, call a physician. 	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.	
4.3. Indication of any immediate medical attention and special treatment needed		

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment Emergency procedures	Equip cleanup crew with proper protection.Ventilate area.	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.		

	6.3. Methods and material for containment and cleaning up	
Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible Collect spillage. Store away from other materials.	Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

other exposed areas with mild soap and water before eating, drinking or leaving work. Provide good ventilation in process area to prevent r. r smoke in the workplace. Wash hands thoroughly after handling.
leaving work. Provide good ventilation in process area to prevent r.
r smoke in the workplace. Wash hands thoroughly after handling.
es
sed when not in use. Keep away from heat, hot surfaces, sparks, open gnition sources. No smoking. Keep only in the original container in a cool, ce.
ng acids.
Direct sunlight. combustible materials.

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2-aminoethanol; ethanolamine (141-43-5)		
United Kingdom - Occupational Exposure Limits		
Local name	2-Aminoethanol	
WEL TWA (OEL TWA) [1]	2.5 mg/m ³	
WEL TWA (OEL TWA) [2]	1 ppm	
WEL STEL (OEL STEL)	7.6 mg/m ³	
WEL STEL (OEL STEL) [ppm]	3 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Sodium hydroxide (1310-73-2)		
United Kingdom - Occupational Exposure Limits		

Local name	Sodium hydroxide
WEL STEL (OEL STEL)	2 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses. Safety glasses with side shields (e.g. EN 166)

8.2.2.2. Skin protection

Skin and body protection:

Wear standard coveralls and Category 3 Type 4 suit (EN 13688 + EN 14605:2005). If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

Hand protection:

Wear protective gloves. EN 374

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0.4 mm		

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state Appearance Colour Odour Odour threshold pH pH solution Relative evaporation rate (butylacetate=1) Melting point Freezing point Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapour pressure Relative vapour density at 20 °C Relative density Solubility Partition coefficient n-octanol/water (Log Pow) Viscosity, kinematic Viscosity, dynamic Explosive properties Oxidising properties	 Liquid Soluble concentrate (SL). Yellow. Characteristic. No data available No data available 6.8 (1% solution), 20°C, CIPAC MT 75.3 No data available In data available 1.1 20°C, EC A.3 Miscible with water. No data available 1.3 - 2.2 mm²/s 20 °C / 40°C, OECD 114, No data available Based on the chemical structure there is no indication of explosive properties. Non oxidizing. Test method EU A.21. 	
Explosive limits	: No data available	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials	
Strong acids. Strong bases.	
10.6. Hazardous decomposition products	

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information			
11.1 Information on toxicological effec	ts		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified 		
Vivendi 200			
LD50 oral rat	> 2000 mg/kg EC B.1, OECD 423		
LD50 dermal rat	> 2000 EC B.3, OECD 402		
clopyralid (ISO) (1702-17-6)			
LD50 oral rat	> 5000 mg/kg		
LD50 dermal rabbit	> 2000 mg/kg		
LC50 Inhalation - Rat (Dust/Mist)	> 1 mg/l/4h (maximum attainable concentration - zero mortality)		
2-aminoethanol; ethanolamine (141-43-	-5)		
LD50 oral rat	1720 mg/kg (OECD 401)		
LD50 dermal rat	1025 mg/kg (OECD 402)		
1,2-benzisothiazol-3(2H)-one; 1,2-benzi	isothiazolin-3-one (2634-33-5)		
LD50 oral rat	670 mg/kg (OECD 401) male		
LD50 oral	784 mg/kg (OECD 401) female		
LD50 dermal rat	> 2000 mg/kg (OECD 402)		
Skin corrosion/irritation	: Not classified. OECD 404 - EC n° 440/2008 B.4		
Serious eye damage/irritation	: Not classified. OECD 405 - EC n° 440/2008 B.5		
Respiratory or skin sensitisation	: Not classified		
Additional information	: Based on available data, the classification criteria are not met		
Germ cell mutagenicity Additional information	: Not classified : Based on available data, the classification criteria are not met		
Carcinogenicity	: Not classified		
Additional information	: Based on available data, the classification criteria are not met		
Reproductive toxicity	: Not classified		
Additional information	: Based on available data, the classification criteria are not met		
1,2-benzisothiazol-3(2H)-one; 1,2-benzi	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)		
NOAEL (animal/female, F1)	56.6 mg/kg bodyweight female (ratReproductionFertility; EPA OPPTS 870.3800		
STOT-single exposure	: Not classified.		
Additional information	: Based on available data, the classification criteria are not met		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-aminoethanol; ethanolamine (141-43-5)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Aspiration hazard	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Vivendi 200		
Viscosity, kinematic	1.3 – 2.2 mm²/s 20 °C / 40°C, OECD 114,	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met	

SECTION 12: Ecological information

12.1 Toxicity

12.1. Toxicity	
(acute)	Not classified Very toxic to aquatic life with long lasting effects.
Vivendi 200	
LC50 - Fish	> 1400 mg/l OECD 203; EC C.1
EC50 Daphnia	1940 mg/l OECD 202; EC C.2
EC50 72h - Algae	340 mg/l OECD 201; EC C.3
ErC50 algae	> 3 mg/l 14 d/Myriophyllum spicatum (Clopyralid technical)
NOEC chronic algae	0.0089 mg/l 14 d/Myriophyllum spicatum (Clopyralid technical)
clopyralid (ISO) (1702-17-6)	
LC50 - Fish	> 99.9 mg/l (96H Onchorynchus mykiss)
LC50 fish	> 102 mg/kg (96h Lepomis macrochirus)
EC50 - Crustacea	> 99 mg/l (48h daphnia magna)
ErC50 algae	30 mg/l (72h Pseudokirchneriella subcapitata)
ErC50 other aquatic plants	> 3 mg/l (14d Myriophillum spicatum)
NOEC (chronic)	0.0089 mg/l (14d Myriophillum spicatum)
NOEC chronic fish	10.8 mg/l (34d Pimephales promelas)
NOEC chronic crustacea	17 mg/l (21d Daphnia magna)
2-aminoethanol; ethanolamine (141-43-5)	
LC50 - Fish	349 mg/l (96h Cyprinus carpio)
LC50 fish	170 mg/l (96h carassius auratus)
EC50 - Crustacea	65 mg/l (48h Daphnia magna)
EC50 72h - Algae	2.5 mg/l Selenastrum capricornutum
EC50 72h - Algae	22 mg/l Scenedesmus subspicatus
NOEC chronic crustacea	0.85 mg/l Daphnia magna; 21 days
Sodium hydroxide (1310-73-2)	
LC50 - Fish	35 – 189 mg/l

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Sodium hydroxide (1310-73-2)		
EC50 - Crustacea	40.4 mg/l Ceriodaphnia sp.	
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)		
LC50 - Fish	2.18 mg/l/96h ((OECD 203 method), Oncorynchus mykiss)	
LC50 fish	2.15 mg/l Oncorhynchus mykiss (Rainbow trout)	
EC50 - Crustacea	2.94 mg/l/48h ((OECD 202 method), Daphnia magna)	
EC50 Daphnia	2.9 mg/l Daphnia magna	
ErC50 algae	0.11 mg/l/72h ((OECD 201 method), Selenastrum capricornutum)	
NOEC chronic crustacea	1.7 mg/l/ 21 days (OECD 211; Daphnia)	

12.2. Persistence and degradability

2-aminoethanol; ethanolamine (141-43-5)		
Persistence and degradability	Readily biodegradable.	
	·	

12.3. Bioaccumulative potential

Vivendi 200		
Bioaccumulative potential	Not established.	
clopyralid (ISO) (1702-17-6)		
BCF - Fish [1]	< 1 mg/l (Bluegill sunfish)	
Partition coefficient n-octanol/water (Log Pow)	-2.63 (pH=7)	
2-aminoethanol; ethanolamine (141-43-5)		
Partition coefficient n-octanol/water (Log Kow)	-1.91	
Bioaccumulative potential	Not potentially bioaccumulable.	
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)		
Partition coefficient n-octanol/water (Log Pow)	0.7 (20 °C)	

12.4. Mobility in soil

Vivendi 200	
Surface tension	39 mN/m 20°C, EC A.5
clopyralid (ISO) (1702-17-6)	
Surface tension	55 mN/m (21,5°C)

12.5. Results of PBT and vPvB assessment

Component	
clopyralid (ISO) (1702-17-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2-aminoethanol; ethanolamine (141-43-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
12.6. Other adverse effects	

Additional information

: Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 13: Disposal considerations	5
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	ΙΑΤΑ
14.1. UN number	1	
UN 3082	UN 3082	UN 3082
14.2. UN proper shipping name		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Environmentally hazardous substance, liquid n.o.s.
Transport document description		
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III
14.3. Transport hazard class(es)		
9	9	9
14.4. Packing group		
Ш	Ш	III
14.5. Environmental hazards		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes
No supplementary information available	•	-

Overland transport

Classification code (ADR)		M6
Special provisions (ADR)		274, 335, 375, 601
Limited quantities (ADR)		51
Excepted quantities (ADR)		E1
Packing instructions (ADR)		P001, IBC03, LP01, R001
Special packing provisions (ADR)		PP1
Mixed packing provisions (ADR)		MP19
Portable tank and bulk container instructions (ADR)		Τ4
Portable tank and bulk container special provisions		TP1, TP29
(ADR)		
Tank code (ADR)	:	LGBV
Vehicle for tank carriage		AT
Transport category (ADR)		3
Special provisions for carriage - Packages (ADR)	:	V12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Special provisions for carriage - Loading, unloading and handling (ADR)	:	CV13
Hazard identification number (Kemler No.)	:	90
Orange plates	÷	
	•	90 3082
		3082
Tunnel restriction code	:	-
EAC code	:	•3Z
Transport by sea		
Special provisions (IMDG)	:	274, 335, 969
Limited quantities (IMDG)		5 L
Excepted quantities (IMDG)		E1
Packing instructions (IMDG)		LP01, P001
Special packing provisions (IMDG)		PP1
IBC packing instructions (IMDG)		IBC03
Tank instructions (IMDG)		Τ4
Tank special provisions (IMDG)		TP1, TP29
EmS-No. (Fire)	-	F-A
EmS-No. (Spillage)		S-F
Stowage category (IMDG)	:	A
Air transport		
PCA Excepted quantities (IATA)	-	E1
PCA Limited quantities (IATA)		Y964
PCA limited quantity max net quantity (IATA)		30kgG
PCA packing instructions (IATA)		964
PCA max net quantity (IATA)	:	450L
CAO packing instructions (IATA)	:	964
CAO max net quantity (IATA)	:	450L
Special provisions (IATA)	:	A97, A158, A197, A215
ERG code (IATA)	:	9L

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information

Indication of changes:

This sheet has been revised completely (changes were not marked).

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Other information

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.	
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Met. Corr. 1	Corrosive to metals, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

 Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

 Aquatic Chronic 1
 H410
 Calculation method

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.